



Kraftmark Company
P.O. Box 84
Spring City, PA 19475 U.S.A.

www.kraftmark.biz

FabEpoxy Loading Kit Instruction Sheet

Contents of Kit

- 1 x 50ml double barrel syringe of FabEpoxy
- 3 x mixer nozzles
- 3 x connectors/adapters



DIRECTIONS:

1. To prepare the Fab@Home 10ml syringe for loading, insert the rubber plunger and push all the way in.



2. Remove FabEpoxy double barrel syringe cap and attach mixer nozzle.



3. Attach connector to end of mixer nozzle.



4. Connect FabEpoxy syringe to dispensing tool by first sliding the retaining ring down to the base of the syringe. Next slide the retaining ring into the slot on the tool.



Note: FabEpoxy double barrel syringe dispensing tool can be purchased from Kraftmark Company; www.kraftmark.biz or info@kraftmark.biz

5. Dispense FabEpoxy through the mixer nozzle to the end of connector.



6. Screw connector onto Fab@Home 10ml syringe.



7. Fill Fab@Home 10ml syringe with FabEpoxy.



View of FabEpoxy Loading Kit in use:



For more information on the FabEpoxy Loading Kit, contact Kraftmark at info@kraftmark.biz or 610-717-1785

Watch FabEpoxy in action:
<http://www.youtube.com/watch?v=l-lixp5nOcU>

Rev. 11/16/10